
Conduit Documentation

Release 0.2.1

LLNS

Dec 05, 2017

Contents

1	Introduction	3
2	Unique Features	5
3	Conduit Project Resources	7
4	Conduit Libraries	9
4.1	conduit	9
4.2	relay	9
4.3	blueprint	9
5	Contributors	11
6	Conduit Documentation	13
6.1	User Documentation	13
6.2	Developer Documentation	41
6.3	Releases	42
6.4	Presentations	44
6.5	License Info	44
7	Indices and tables	47

Conduit: Simplified Data Exchange for HPC Simulations

Conduit is an open source project from Lawrence Livermore National Laboratory that provides an intuitive model for describing hierarchical scientific data in C++, C, Fortran, and Python. It is used for data coupling between packages in-core, serialization, and I/O tasks.

Conduit's Core API provides:

- A flexible way to describe hierarchal data:
 - A JSON-inspired data model for describing hierarchical in-core scientific data.
- A sane API to access hierarchal data:
 - A dynamic API for rapid construction and consumption of hierarchical objects.

Conduit is under active development and targets Linux, OSX, and Windows platforms. The C++ API underpins the other language APIs and currently has the most features. We are still filling out the C, Fortran, and Python APIs.

For more background, please see [Presentations](#).

CHAPTER 2

Unique Features

Conduit was built around the concept that an intuitive in-core data description capability simplifies many other common tasks in the HPC simulation eco-system. To this aim, Conduit's Core API:

- Provides a runtime focused in-core data description API that does not require repacking or code generation.
- Supports a mix of externally owned and Conduit allocated memory semantics.

Conduit Project Resources

Online Documentation

<http://software.llnl.gov/conduit/>

Github Source Repo

<https://github.com/llnl/conduit>

Issue Tracker

<https://github.com/llnl/conduit/issues>

LLNL Collaboration Zone Bitbucket Server Source Repo (Mirror for LLNL Users)

<https://lc.llnl.gov/bitbucket/projects/CON/repos/conduit/browse>

The *conduit* library provides Conduit’s core data API. The *relay* and *blueprint* libraries provide higher-level services built on top of the core API.

Note: Caveat Emptor: The APIs for *relay* and *blueprint* are still in flux.

4.1 conduit

- Provides Conduit’s Core API in C++ and subsets of Core API in Python, C, and Fortran.
- *Optionally depends on Fortran and Python with NumPy*

4.2 relay

- Provides:
 - I/O functionally beyond simple binary, memory mapped, and json-based text file I/O.
 - A light-weight web server for REST and WebSocket clients.
 - Interfaces for MPI communication using `conduit::Node` instances as payloads.
- *Optionally depends on silo, hdf5, szip and mpi*

4.3 blueprint

- Provides interfaces for common higher-level conventions and data exchange protocols (eg. describing a “mesh”) using Conduit.
- *No optional dependancies*

See the *User Documentation* for more details on these libraries.

CHAPTER 5

Contributors

- Cyrus Harrison (LLNL)
- Brian Ryujin (LLNL)
- Adam Kunen (LLNL)
- Kathleen Biagas (LLNL)
- Eric Brugger (LLNL)
- Aaron Black (LLNL)
- George Zagaris (LLNL)
- Kenny Weiss (LLNL)
- Matt Larsen (LLNL)
- Joe Ciurej (LLNL)
- George Aspesi (Harvey Mudd)
- Justin Bai (Harvey Mudd)
- Rupert Deese (Harvey Mudd)
- Linnea Shin (Harvey Mudd)

In 2014 and 2015 LLNL sponsored a Harvey Mudd Computer Science Clinic project focused on using Conduit in HPC Proxy apps. You can read about more details about the clinic project from this LLNL article: <http://computation.llnl.gov/newsroom/hpc-partnership-harvey-mudd-college-and-livermore>

6.1 User Documentation

6.1.1 Conduit

Tutorial

This short tutorial provides C++ examples that demonstrate the Conduit's Core API. Conduit's unit tests (*src/tests/{library_name}/*) also provide a rich set of examples for Conduit's Core API and additional libraries.

Basic Concepts

Node basics

The *Node* class is the primary object in conduit.

Think of it as a hierarchical variant object.

```
Node n;  
n["my"] = "data";  
n.print();
```

```
{  
  "my": "data"  
}
```

The *Node* class supports hierarchical construction.

```
Node n;  
n["my"] = "data";  
n["a/b/c"] = "d";  
n["a"]["b"]["e"] = 64.0;
```

```
n.print();

std::cout << "total bytes: " << n.total_strided_bytes() << std::endl;
```

```
{
  "my": "data",
  "a":
  {
    "b":
    {
      "c": "d",
      "e": 64.0
    }
  }
}
total bytes: 15
```

Borrowing from JSON (and other similar notations), collections of named nodes are called *Objects* and collections of unnamed nodes are called *Lists*, all other types are leafs that represent concrete data.

```
Node n;
n["object_example/val1"] = "data";
n["object_example/val2"] = 10u;
n["object_example/val3"] = 3.1415;

for(int i = 0; i < 5 ; i++ )
{
  Node &list_entry = n["list_example"].append();
  list_entry.set(i);
}

n.print();
```

```
{
  "object_example":
  {
    "val1": "data",
    "val2": 10,
    "val3": 3.1415
  },
  "list_example":
  [
    0,
    1,
    2,
    3,
    4
  ]
}
```

Behind the scenes, *Node* instances manage a collection of memory spaces.

```
n["a/b/c"] = "d";
n["a"]["b"]["e"] = 64.0;

Node ninfo;
n.info(ninfo);
```

```
ninfo.print();
```

```
{
  "mem_spaces":
  {
    "0x7fdf90406910":
    {
      "path": "my",
      "type": "allocated",
      "bytes": 5
    },
    "0x7fdf90406800":
    {
      "path": "a/b/c",
      "type": "allocated",
      "bytes": 2
    },
    "0x7fdf904067f0":
    {
      "path": "a/b/e",
      "type": "allocated",
      "bytes": 8
    }
  },
  "total_bytes_allocated": 15,
  "total_bytes_mmaped": 0,
  "total_bytes_compact": 15,
  "total_strided_bytes": 15
}
```

Bitwidth Style Types

When sharing data in scientific codes, knowing the precision of the underlying types is very important.

Conduit uses well defined bitwidth style types (inspired by NumPy) for leaf values.

```
Node n;
uint32 val = 100;
n["test"] = val;
n.print();
n.print_detailed();
```

```
{
  "test": 100
}
```

Standard C++ numeric types will be mapped by the compiler to bitwidth style types.

```
Node n;
int val = 100;
n["test"] = val;
n.print_detailed();
```

```
{
  "test": {"dtype": "int32", "number_of_elements": 1, "offset": 0, "stride": 4,
  ↪ "element_bytes": 4, "endianness": "little", "value": 100}
```

```
}
```

Supported Bitwidth Style Types:

- signed integers: int8,int16,int32,int64
- unsigned integers: uint8,uint16,uint32,uint64
- floating point numbers: float32,float64

Conduit provides these types by constructing a mapping for the current platform the from the following types:

- char, short, int, long, long long, float, double, long double

Compatible Schemas

When a **set** method is called on a Node, if the data passed to the **set** is compatible with the Node's Schema the data is simply copied. No allocation or Schema changes occur. If the data is not compatible the Node will be reconfigured to store the passed data.

Schemas do not need to be identical to be compatible.

You can check if a Schema is compatible with another Schema using the **Schema::compatible(Schema &test)** method. Here is the criteria for checking if two Schemas are compatible:

- **If the calling Schema describes an Object** : The passed test Schema must describe an Object and the test Schema's children must be compatible with the calling Schema's children that have the same name.
- **If the calling Schema describes a List**: The passed test Schema must describe a List, the calling Schema must have at least as many children as the test Schema, and when compared in list order each of the test Schema's children must be compatible with the calling Schema's children.
- **If the calling Schema describes a leaf data type**: The calling Schema's and test Schema's **dtype().id()** and **dtype().element_bytes()** must match, and the calling Schema **dtype().number_of_elements()** must be greater than or equal than the test Schema's.

Accessing Numeric Data

Accessing Scalars and Arrays

You can access leaf types (numeric scalars or arrays) using Node's *as_{type}* methods.

```
(conduit_tutorial, error_handlers)

// rewire error handlers
conduit::utils::set_info_handler(my_info_handler);
conduit::utils::set_warning_handler(my_warning_handler);
conduit::utils::set_error_handler(my_error_handler);

// emit an example info message
CONDUIT_INFO("An info message");

Node n;
n["my_value"].set_float64(42.0);

// emit an example warning message
```

```

// using "as" for wrong type emits a warning, returns a default value (0.0)
float32 v = n["my_value"].as_float32();

// emit an example error message

try
{
    // fetching a non-existent path from a const Node emits an error
    const Node &n_my_value = n["my_value"];
    n_my_value["bad"];
}
catch(conduit::Error e)
{
    // pass
}

// restore default handlers

```

```
100
```

Or you can use `Node::value()`, which can infer the correct return type via a cast.

```

Node n;
int64 val = 100;
n = val;
int64 my_val = n.value();
std::cout << my_val << std::endl;

```

```
100
```

Accessing array data via pointers works the same way, using `Node's as_{type}` methods.

```

int64 vals[4] = {100,200,300,400};

Node n;
n.set(vals,4);

int64 *my_vals = n.as_int64_ptr();

for(index_t i=0; i < 4; i++)
{
    std::cout << "my_vals[" << i << "] = " << my_vals[i] << std::endl;
}

```

```

my_vals[0] = 100
my_vals[1] = 200
my_vals[2] = 300
my_vals[3] = 400

```

Or using `Node::value()`:

```

int64 vals[4] = {100,200,300,400};

Node n;
n.set(vals,4);

```

```
int64 *my_vals = n.value();

for(index_t i=0; i < 4; i++)
{
    std::cout << "my_vals[" << i << "] = " << my_vals[i] << std::endl;
}
```

```
my_vals[0] = 100
my_vals[1] = 200
my_vals[2] = 300
my_vals[3] = 400
```

For non-contiguous arrays, direct pointer access is complex due to the indexing required. Conduit provides a simple `DataArray` class that handles per-element indexing for all types of arrays.

```
int64 vals[4] = {100,200,300,400};

Node n;
n.set(vals,2, // # of elements
      0, // offset in bytes
      sizeof(int64)*2); // stride in bytes

int64_array my_vals = n.value();

for(index_t i=0; i < 2; i++)
{
    std::cout << "my_vals[" << i << "] = " << my_vals[i] << std::endl;
}

my_vals.print();
```

```
my_vals[0] = 100
my_vals[1] = 300
[100, 300]
```

Using Introspection and Conversion

In this example, we have an array in a node that we are interested in processing using an existing function that only handles doubles. We ensure the node is compatible with the function, or transform it to a contiguous double array.

```
//-----
void must_have_doubles_function(double *vals,int num_vals)
{
    for(int i = 0; i < num_vals; i++)
    {
        std::cout << "vals[" << i << "] = " << vals[i] << std::endl;
    }
}

//-----
void process_doubles(Node & n)
{
    Node res;
    // We have a node that we are interested in processing with
    // and existing function that only handles doubles.
```

```

if( n.dtype().is_double() && n.dtype().is_compact() )
{
    std::cout << " using existing buffer" << std::endl;

    // we already have a contiguous double array
    res.set_external(n);
}
else
{
    std::cout << " converting to temporary double array " << std::endl;

    // Create a compact double array with the values of the input.
    // Standard casts are used to convert each source element to
    // a double in the new array.
    n.to_double_array(res);
}

res.print();

double *dbl_vals = res.value();
int num_vals = res.dtype().number_of_elements();
must_have_doubles_function(dbl_vals,num_vals);
}

//-----
TEST(conduit_tutorial, numeric_double_conversion)
{

    float32 f32_vals[4] = {100.0,200.0,300.0,400.0};
    double d_vals[4] = {1000.0,2000.0,3000.0,4000.0};

    Node n;
    n["float32_vals"].set(f32_vals,4);
    n["double_vals"].set(d_vals,4);

    std::cout << "float32 case: " << std::endl;

    process_doubles(n["float32_vals"]);

    std::cout << "double case: " << std::endl;

    process_doubles(n["double_vals"]);
}

```

```

float32 case:
  converting to temporary double array
[100.0, 200.0, 300.0, 400.0]
vals[0] = 100
vals[1] = 200
vals[2] = 300
vals[3] = 400
double case:
  using existing buffer
[1000.0, 2000.0, 3000.0, 4000.0]
vals[0] = 1000
vals[1] = 2000
vals[2] = 3000

```

```
vals[3] = 4000
```

Generators

Using *Generator* instances to parse JSON schemas

The *Generator* class is used to parse conduit JSON schemas into a *Node*.

```
Generator g("{test: {dtype: float64, value: 100.0}}", "conduit_json");

Node n;
g.walk(n);

std::cout << n["test"].as_float64() <<std::endl;
n.print();
n.print_detailed();
```

```
100

{
  "test": 100.0
}

{
  "test": {"dtype": "float64", "number_of_elements": 1, "offset": 0, "stride": 8,
  ↪ "element_bytes": 8, "endianness": "little", "value": 100.0}
}
```

The *Generator* can also parse pure json. For leaf nodes: wide types such as *int64*, *uint64*, and *float64* are inferred.

```
Generator g("{test: 100.0}", "json");

Node n;
g.walk(n);

std::cout << n["test"].as_float64() <<std::endl;
n.print_detailed();
n.print();
```

```
100

{
  "test": {"dtype": "float64", "number_of_elements": 1, "offset": 0, "stride": 8,
  ↪ "element_bytes": 8, "endianness": "little", "value": 100.0}
}

{
  "test": 100.0
}
```

Schemas can easily be bound to in-core data.

```
float64 vals[2];
Generator g("{a: {dtype: float64, value: 100.0}, b: {dtype: float64, value: 200.0} }",
           "conduit_json",
```



```
    vals);
```

```
Node n;
```

```
100 vs 100
200 vs 200

{
  "a": 100.0,
  "b": 200.0
}

{
  "mem_spaces":
  {
    "0x7fff533bfff0":
    {
      "path": "a",
      "type": "external"
    }
  },
  "total_bytes_allocated": 0,
  "total_bytes_mmaped": 0,
  "total_bytes_compact": 16,
  "total_strided_bytes": 16
}
```

Compacting Nodes

Nodes can be compacted to transform sparse data.

```
CONDUIT_INFO("json_generator_compact");

float64 vals[] = { 100.0,-100.0,
                  200.0,-200.0,
                  300.0,-300.0,
                  400.0,-400.0,
                  500.0,-500.0};

// stride though the data with two different views.
Generator g1("{dtype: float64, length: 5, stride: 16}",
            "conduit_json",
            vals);
Generator g2("{dtype: float64, length: 5, stride: 16, offset:8}",
            "conduit_json",
            vals);

Node n1;
g1.walk_external(n1);
n1.print();

Node n2;
g2.walk_external(n2);
n2.print();

// look at the memory space info for our two views
```

```

Node ninfo;
n1.info(ninfo);
ninfo.print();

n2.info(ninfo);
ninfo.print();

// compact data from n1 to a new node
Node n1c;
n1.compact_to(n1c);

// look at the resulting compact data
n1c.print();
n1c.schema().print();
n1c.info(ninfo);
ninfo.print();

// compact data from n2 to a new node
Node n2c;
n2.compact_to(n2c);

```

```

[100.0, 200.0, 300.0, 400.0, 500.0]
[-100.0, -200.0, -300.0, -400.0, -500.0]

{
  "mem_spaces":
  {
    "0x7fff533bffb0":
    {
      "path": "",
      "type": "external"
    }
  },
  "total_bytes_allocated": 0,
  "total_bytes_mmaped": 0,
  "total_bytes_compact": 40,
  "total_strided_bytes": 72
}

{
  "mem_spaces":
  {
    "0x7fff533bffb0":
    {
      "path": "",
      "type": "external"
    }
  },
  "total_bytes_allocated": 0,
  "total_bytes_mmaped": 0,
  "total_bytes_compact": 40,
  "total_strided_bytes": 72
}
[100.0, 200.0, 300.0, 400.0, 500.0]
{"dtype":"float64", "number_of_elements": 5, "offset": 0, "stride": 8, "element_bytes
↪": 8, "endianness": "little"}

{

```

```

"mem_spaces":
{
  "0x7fdf90406820":
  {
    "path": "",
    "type": "allocated",
    "bytes": 40
  }
},
"total_bytes_allocated": 40,
"total_bytes_mmaped": 0,
"total_bytes_compact": 40,
"total_strided_bytes": 40
}
[-100.0, -200.0, -300.0, -400.0, -500.0]

{
  "mem_spaces":
  {
    "0x7fdf90405f70":
    {
      "path": "",
      "type": "allocated",
      "bytes": 40
    }
  },
  "total_bytes_allocated": 40,
  "total_bytes_mmaped": 0,
  "total_bytes_compact": 40,
  "total_strided_bytes": 40
}

```

Data Ownership

The *Node* class provides two ways to hold data, the data is either **owned** or **externally described**:

- If a *Node* **owns** data, the *Node* allocated the memory holding the data and is responsible for deallocating it.
- If a *Node* **externally describes** data, the *Node* holds a pointer to the memory where the data resides and is not responsible for deallocating it.

set vs *set_external*

The **Node::set** methods support creating **owned** data and copying data values in both the **owned** and **externally described** cases. The **Node::set_external** methods allow you to create **externally described** data:

- **set(...)**: Makes a copy of the data passed into the *Node*. This will trigger an allocation if the current data type of the *Node* is incompatible with what was passed. The *Node* assignment operators use their respective **set** variants, so they follow the same copy semantics.
- **set_external(...)**: Sets up the *Node* to describe data passed and access the data externally. Does not copy the data.

```

index_t vsize = 5;
std::vector<float64> vals(vsize,0.0);
for(index_t i=0;i<vsize;i++)

```

```
{
    vals[i] = 3.1415 * i;
}

Node n;
n["v_owned"] = vals;
n["v_external"].set_external(vals);

n.info().print();

n.print();

vals[1] = -1 * vals[1];
n.print();
```

```
{
  "mem_spaces":
  {
    "0x7fdf90600120":
    {
      "path": "v_owned",
      "type": "allocated",
      "bytes": 40
    },
    "0x7fdf90600010":
    {
      "path": "v_external",
      "type": "external"
    }
  },
  "total_bytes_allocated": 40,
  "total_bytes_mmaped": 0,
  "total_bytes_compact": 80,
  "total_strided_bytes": 80
}

{
  "v_owned": [0.0, 3.1415, 6.283, 9.4245, 12.566],
  "v_external": [0.0, 3.1415, 6.283, 9.4245, 12.566]
}

{
  "v_owned": [0.0, 3.1415, 6.283, 9.4245, 12.566],
  "v_external": [0.0, -3.1415, 6.283, 9.4245, 12.566]
}
```

Node Update Methods

The *Node* class provides three **update** methods which allow you to easily copy data or the description of data from a source node.

- **Node::update(Node &source):**

This method behaves similar to a python dictionary update. Entries from the source Node are copied into the calling Node, here are more concrete details:

- **If the source describes an Object:**

- Update copies the children of the source Node into the calling Node. Normal set semantics apply: if a compatible child with the same name already exists in the calling Node, the data will be copied. If not, the calling Node will dynamically construct children to hold copies of each child of the source Node.
- **If the source describes a List:**
 - Update copies the children of the source Node into the calling Node. Normal set semantics apply: if a compatible child already exists in the same list order in the calling Node, the data will be copied. If not, the calling Node will dynamically construct children to hold copies of each child of the source Node.
- **If the source Node describes a leaf data type:**
 - Update works exactly like a **set** (not true yet).
- **Node::update_compatible(Node &source):**

This method copies data from the children in the source Node that are compatible with children in the calling node. No changes are made where children are incompatible.
- **Node::update_external(Node &source):**

This method creates children in the calling Node that externally describe the children in the source node. It differs from **Node::set_external(Node &source)** in that **set_external()** will clear the calling Node so it exactly match an external description of the source Node, whereas **update_external()** will only change the children in the calling Node that correspond to children in the source Node.

Error Handling

Conduit's APIs emit three types of messages for logging and error handling:

Message Type	Description
Info	General Information
Warning	Recoverable Error
Error	Fatal Error

Default Error Handlers

Conduit provides a default handler for each message type:

Message Type	Default Action
Info	Prints the message to standard out
Warning	Throws a C++ Exception (conduit::Error instance)
Error	Throws a C++ Exception (conduit::Error instance)

Using Custom Error Handlers

The `conduit::utils` namespace provides functions to override each of the three default handlers with a method that provides the following signature:

```
void my_handler(const std::string &msg,
               const std::string &file,
               int line)
{
    // your handling code here ...
}
```

```
}  
  
conduit::utils::set_error_handler(my_handler);
```

Here is an example that re-wires all three error handlers to print to standard out:

```
void my_info_handler(const std::string &msg,  
                    const std::string &file,  
                    int line)  
{  
    std::cout << "[INFO] " << msg << std::endl;  
}  
  
void my_warning_handler(const std::string &msg,  
                       const std::string &file,  
                       int line)  
{  
    std::cout << "[WARNING!] " << msg << std::endl;  
}  
  
void my_error_handler(const std::string &msg,  
                     const std::string &file,  
                     int line)  
{  
    std::cout << "[ERROR!] " << msg << std::endl;  
    // errors are considered fatal, aborting or unwinding the  
    // call stack with an exception are the only viable options  
    throw conduit::Error(msg, file, line);  
}
```

```
// rewire error handlers  
conduit::utils::set_info_handler(my_info_handler);  
conduit::utils::set_warning_handler(my_warning_handler);  
conduit::utils::set_error_handler(my_error_handler);  
  
// emit an example info message  
CONDUIT_INFO("An info message");  
  
Node n;  
n["my_value"].set_float64(42.0);  
  
// emit an example warning message  
  
// using "as" for wrong type emits a warning, returns a default value (0.0)  
float32 v = n["my_value"].as_float32();  
  
// emit an example error message  
  
try  
{  
    // fetching a non-existent path from a const Node emits an error  
    const Node &n_my_value = n["my_value"];  
    n_my_value["bad"];  
}  
catch (conduit::Error e)  
{  
    // pass  
}
```

```
[INFO] An info message
[WARNING!] Node::as_float32() const -- DataType float64 at path my_value does not_
↳equal expected DataType float32
[ERROR!] Cannot const fetch_child, Node(my_value) is not an object
```

Using Restoring Default Handlers

The default handlers are part of the `conduit::utils` interface, so you can restore them using:

```
// restore default handlers
conduit::utils::set_info_handler(conduit::utils::default_info_handler);
conduit::utils::set_warning_handler(conduit::utils::default_warning_handler);
conduit::utils::set_error_handler(conduit::utils::default_error_handler);
```

6.1.2 Relay

Note: The **relay** APIs and docs are work in progress.

Conduit Relay is an umbrella project for I/O and communication functionality built on top of Conduit's Core API. It includes three components:

- **io** - I/O functionally beyond binary, memory mapped, and json-based text file I/O. Includes optional Silo and HDF5 I/O support.
- **web** - An embedded web server (built using [CivetWeb](#)) that can host files and supports developing custom REST and WebSocket backends that use `conduit::Node` instances as payloads.
- **mpi** - Interfaces for MPI communication using `conduit::Node` instances as payloads.

The **io** and **web** features are built into the `conduit_relay` library. The MPI functionality exists in a separate library `conduit_relay_mpi` to avoid include and linking issues for serial codes that want to use relay.

6.1.3 Blueprint

The flexibility of the Conduit Node allows it to be used to represent a wide range of scientific data. Unconstrained, this flexibility can lead to many application specific choices for common types of data that could potentially be shared between applications.

The goal of Blueprint is to help facilitate a set of shared higher-level conventions for using Conduit Nodes to hold common simulation data structures. The Blueprint library in Conduit provides methods to verify if a Conduit Node instance conforms to known conventions, which we call **protocols**. It also provides property and transform methods that can be used on conforming Nodes.

For now, Blueprint is focused on conventions for two important types of data:

- Multi-Component Arrays (protocol: `marray`)

A multi-component array is a collection of fixed-sized numeric tuples. They are used in the context of computational meshes to represent coordinate data or field data, such as the three directional components of a 3D velocity field. There are a few common in-core data layouts used by several APIs to accept multi-component array data, these include: row-major vs column-major layouts, or the use of

arrays of struct vs struct of arrays in C-style languages. Blueprint provides transforms that convert any multi-component array to these common data layouts.

- Computational Meshes (protocol: `mesh`)

Many taxonomies and concrete mesh data models have been developed to allow computational meshes to be used in software. Blueprint's conventions for representing mesh data were formed by negotiating with simulation application teams at LLNL and from a survey of existing projects that provide scientific mesh-related APIs including: ADIOS, Damaris, EAVL, MFEM, Silo, VTK, VTKm, and Xdmf. Blueprint's mesh conventions are not a replacement for existing mesh data models or APIs. Our explicit goal is to outline a comprehensive, but small set of options for describing meshes in-core that simplifies the process of adapting data to several existing mesh-aware APIs.

Protocol Details

mcarray

Protocol

To conform to the mcarray blueprint protocol, a Node must have at least one child and:

- All children must be numeric leaves
- All children must have the same number of elements

Properties and Transforms

- **conduit::Node::is_contiguous()** `conduit::Node` contains a general `is_contiguous()` instance method that is useful in the context of an mcarray. It can be used to detect if an mcarray has a contiguous memory layout for tuple components (eg: struct of arrays style)
 - Example: {x0, x1, ..., xN, y0, y1, ..., yN, z0, z1, ..., zN}
- **conduit::blueprint::mcarray::is_interleaved(const Node &mcarray)**
Checks if an mcarray has an interleaved memory layout for tuple components (eg: struct of arrays style)
 - Example: {x0, y0, z0, x1, y1, z1, ..., xN, yN, zN}
- **conduit::blueprint::mcarray::to_contiguous(const Node &mcarray, Node &out)**
Copies the data from an mcarray into a new mcarray with a contiguous memory layout for tuple components
 - Example: {x0, x1, ..., xN, y0, y1, ..., yN, z0, z1, ..., zN}
- **conduit::blueprint::mcarray::to_interleaved(const Node &mcarray, Node &out)**
Copies the data from an mcarray into a new mcarray with interleaved tuple values
 - Example: {x0, y0, z0, x1, y1, z1, ..., xN, yN, zN}

Examples

The mcarray blueprint namespace includes a function `xyz()`, that generates examples that cover a range of mcarray memory layout use cases.


```
conduit::blueprint::marray::examples::xyz(const std::string &marray_type,
                                         index_t npts,
                                         Node &out);
```

Here is a list of valid strings for the *marray_type* argument:

MCArray Type	Description
interleaved	One allocation, using interleaved memory layout with float64 components (array of structs style)
separate	Three allocations, separate float64 components arrays for {x,y,z}
contiguous	One allocation, using a contiguous memory layout with float64 components (struct of arrays style)
interleaved_mixed	<p>One allocation, using interleaved memory layout with:</p> <ul style="list-style-type: none"> • float32 x components • float64 y components • uint8 z components

The number of components per tuple is always three (x,y,z).

npts specifies the number tuples created.

The resulting data is placed the Node *out*, which is passed in via a reference.

For more details, see the unit tests that exercise these examples in `src/tests/blueprint/t_blueprint_marray_examples.cpp`.

mesh

Protocol

The mesh blueprint protocol defines a computational mesh using one or more Coordinate Sets (via child `coordsets`), one or more Topologies (via child `topologies`), zero or more Fields (via child `fields`), and optional State information (via child `state`). For simplicity, the descriptions below outline one Coordinate Set named `coords` one Topology named `topo`.

Coordinate Sets

To define a computational mesh, the first required entry is a set of spatial coordinate tuples that can underpin a mesh topology.

The mesh blueprint protocol supports sets of spatial coordinates from three coordinate systems:

- Cartesian: {x,y,z}
- Cylindrical: {r,z}
- Spherical: {r,theta,phi}

The mesh blueprint protocol supports three types of Coordinate Sets: `uniform`, `rectilinear`, and `explicit`. To conform to the protocol, each entry under `coordsets` must be an *Object* with entries from one of the cases outlined below:

- **uniform**

An implicit coordinate set defined as the cartesian product of i,j,k dimensions starting at an `origin` (ex: {x,y,z}) using a given `spacing` (ex: {dx,dy,dz}).

- Cartesian
 - * `coordsets/coords/type`: “uniform”
 - * `coordsets/coords/dims/{i,j,k}`
 - * `coordsets/coords/origin/{x,y,z}` (optional, default = {0.0, 0.0, 0.0})
 - * `coordsets/coords/spacing/{dx,dy,dz}` (optional, default = {1.0, 1.0, 1.0})
- Cylindrical
 - * `coordsets/coords/type`: “uniform”
 - * `coordsets/coords/dims/{i,j}`
 - * `coordsets/coords/origin/{r,z}` (optional, default = {0.0, 0.0})
 - * `coordsets/coords/spacing/{dr,dz}` (optional, default = {1.0, 1.0})
- Spherical
 - * `coordsets/coords/type`: “uniform”
 - * `coordsets/coords/dims/{i,j}`
 - * `coordsets/coords/origin/{r,theta,phi}` (optional, default = {0.0, 0.0, 0.0})
 - * `coordsets/coords/spacing/{dr,dtheta,dphi}` (optional, default = {1.0, 1.0, 1.0})

- **rectilinear**

An implicit coordinate set defined as the cartesian product of passed coordinate arrays.

- Cartesian
 - * `coordsets/coords/type`: “rectilinear”
 - * `coordsets/coords/values/{x,y,z}`
- Cylindrical:
 - * `coordsets/coords/type`: “rectilinear”
 - * `coordsets/coords/values/{r,z}`
- Spherical
 - * `coordsets/coords/type`: “uniform”
 - * `coordsets/coords/values/{r,theta,phi}`

- **explicit**

An explicit set of coordinates, which includes `values` that conforms to the **marray** blueprint protocol.

- Cartesian
 - * `coordsets/coords/type`: “explicit”
 - * `coordsets/coords/values/{x,y,z}`
- Cylindrical
 - * `coordsets/coords/type`: “explicit”
 - * `coordsets/coords/values/{r,z}`

- Spherical
 - * coordsets/coords/type: "explicit"
 - * coordsets/coords/values/{r,theta,phi}

Topologies

The next entry required to describe a computational mesh is its topology. To conform to the protocol, each entry under *topologies* must be an *Object* that contains one of the topology descriptions outlined below.

Topology Nomenclature

The mesh blueprint protocol describes meshes in terms of *vertices*, *edges*, *faces*, and *elements*.

The following element shape names are supported:

Name	Geometric Type	Specified By
point	point	an index to a single coordinate tuple
line	line	indices to 2 coordinate tuples
tri	triangle	indices to 3 coordinate tuples
quad	quadrilateral	indices to 4 coordinate tuples
tet	tetrahedron	indices to 4 coordinate tuples
hex	hexahedron	indices to 8 coordinate tuples

Association with a Coordinate Set

Each topology entry must have a child `coordset` with a string that references a valid coordinate set by name.

- topologies/topo/coordset: "coords"

Optional association with a Grid Function

Topologies can optionally include a child `grid_function` with a string that references a valid field by name.

- topologies/topo/grid_function: "gf"

Implicit Topology

The mesh blueprint protocol accepts three implicit ways to define a grid of elements on top of a coordinate set. For coordinate set with 1D coordinate tuples, *line* elements are used, for sets with 2D coordinate tuples *quad* elements are used, and for 3D coordinate tuples *hex* elements are used.

- **uniform**: An implicit topology that defines a grid of elements on top of a *uniform* coordinate set.
 - topologies/topo/coordset: "coords"
 - topologies/topo/type: "uniform"
 - topologies/topo/elements/origin/{i0,j0,k0} (optional, default = {0,0,0})
- **rectilinear**: An implicit topology that defines a grid of elements on top of a *rectilinear* coordinate set.
 - topologies/topo/coordset: "coords"

- topologies/topo/type: “rectilinear”
- topologies/topo/elements/origin/{i0,j0,k0} (optional, default = {0,0,0})
- **structured**: An implicit topology that defines a grid of elements on top of an *explicit* coordinate set.
 - topologies/topo/coordset: “coords”
 - topologies/topo/type = “structured”
 - topologies/topo/elements/dims/{i,j,k}
 - topologies/topo/elements/origin/{i0,j0,k0} (optional, default = {0,0,0})

Explicit (Unstructured) Topology

Single Shape Topology

For topologies using a homogenous collection of element shapes (eg: all hexs), the topology can be specified by a connectivity array and a shape name.

- topologies/topo/coordset: “coords”
- topologies/topo/type: “unstructured”
- topologies/topo/elements/shape: (shape name)
- topologies/topo/elements/connectivity: (index array)

Mixed Shape Topologies

For topologies using a non-homogenous collections of element shapes (eg: hexs and teks), the topology can specified using a single shape topology for each element shape.

- **list** - A Node in the *List* role, that contains a children that conform to the *Single Shape Topology* case.
- **object** - A Node in the *Object* role, that contains a children that conform to the *Single Shape Topology* case.

Note: Future version of the mesh blueprint will expand support to include mixed elements types in a single array with related index arrays.

Fields

Fields are used to hold simulation state arrays associated with a mesh topology.

A field contains an **marray** and information about how this data is associated with elements of the topology. To conform to the protocol, each entry under `fields` must be an *Object* that contains one of these two styles of field descriptions:

- Standard Fields:
 - fields/den/topology: “topo”
 - fields/den/association: “vertex” | “element”
 - fields/den/values: (marray)
- High Order Fields:

- fields/den/topology: “topo”
- fields/den/basis: (a string that includes an mfem-style finite element collection name)
- fields/den/values: (marray)

State

Optional state information is used to provide metadata about the mesh. While the mesh blueprint is focused on describing a single domain of a domain decomposed mesh, the state info can be used to identify a specific mesh domain in the context of a domain decomposed mesh.

To conform, the `state` entry must be an *Object* and can have the following optional entries:

- state/time: (number)
- state/cycle: (number)
- state/number_of_domains: (integer)
- state/domain_id: (integer)

Examples

The mesh blueprint namespace includes a function `braid()`, that generates examples that cover the range of coordinate sets and topologies supported.

The example datasets include a vertex-centered scalar field `braid`, an element-centered scalar field `radial` and as a vertex-centered vector field `vel`.

```
conduit::blueprint::mesh::examples::braid(const std::string &mesh_type,
                                         index_t nx,
                                         index_t ny,
                                         index_t nz,
                                         Node &out);
```

Here is a list of valid strings for the `mesh_type` argument:

Mesh Type	Description
uniform	2d or 3d uniform grid (implicit coords, implicit topology)
rectilinear	2d or 3d rectilinear grid (implicit coords, implicit topology)
structured	2d or 3d structured grid (explicit coords, implicit topology)
point	2d or 3d unstructured mesh of point elements (explicit coords, explicit topology)
lines	2d or 3d unstructured mesh of line elements (explicit coords, explicit topology)
tris	2d unstructured mesh of triangle elements (explicit coords, explicit topology)
quads	2d unstructured mesh of quadrilateral elements (explicit coords, explicit topology)
tets	3d unstructured mesh of tetrahedral elements (explicit coords, explicit topology)
hexs	3d unstructured mesh of hexahedral elements (explicit coords, explicit topology)

`nx,ny,nz` specify the number of elements in the `x,y,z` directions.

`nz` is ignored for 2d-only examples.

The resulting data is placed the Node `out`, which is passed in via a reference.

For more details, see the unit tests that exercise these examples in `src/tests/blueprint/t_blueprint_mesh_examples.cpp`

Blueprint Interface

Blueprint provides a generic top level `verify()` method, which exposes the verify checks for all supported protocols.

```
bool conduit::blueprint::verify(const std::string &protocol,
                                const Node &node,
                                Node &info);
```

`verify()` returns true if the passed Node *node* conforms to the named protocol. It also provides details about the verification, including specific errors in the passed *info* Node.

```
// setup our candidate and info nodes
Node n, info;

//create an example mesh
conduit::blueprint::mesh::examples::braid("tets",
                                           5,5,5,
                                           n);

// check if n conforms
if(conduit::blueprint::verify("mesh",n,info))
    std::cout << "mesh verify succeeded." << std::endl;
else
    std::cout << "mesh verify failed!" << std::endl;

// show some of the verify details
info["coordsets"].print();
```

```
{
  "coords":
  {
    "values":
    {
      "valid": "true"
    },
    "valid": "true"
  }
}
```

Methods for specific protocols are grouped in namespaces:

```
// setup our candidate and info nodes
Node n, verify_info, mem_info;

// create an example marray
conduit::blueprint::marray::examples::xyz("separate",5,n);

std::cout << "example 'separate' marray " << std::endl;
n.print();
n.info(mem_info);
mem_info.print();

// check if n conforms
if(conduit::blueprint::verify("marray",n,verify_info))
{
    // check if our marray has a specific memory layout
    if(!conduit::blueprint::marray::is_interleaved(n))
    {
        // copy data from n into the desired memory layout
```

```

Node xform;
conduit::blueprint::marray::to_interleaved(n,xform);
std::cout << "transformed to 'interleaved' marray " << std::endl;
xform.print_detailed();
xform.info(mem_info);
mem_info.print();
}
}

```

example 'separate' marray

```

{
  "x": [1.0, 1.0, 1.0, 1.0, 1.0],
  "y": [2.0, 2.0, 2.0, 2.0, 2.0],
  "z": [3.0, 3.0, 3.0, 3.0, 3.0]
}

```

```

{
  "mem_spaces":
  {
    "0x7fd6c0600100":
    {
      "path": "x",
      "type": "allocated",
      "bytes": 40
    },
    "0x7fd6c0600460":
    {
      "path": "y",
      "type": "allocated",
      "bytes": 40
    },
    "0x7fd6c0600130":
    {
      "path": "z",
      "type": "allocated",
      "bytes": 40
    }
  },
  "total_bytes_allocated": 120,
  "total_bytes_mmaped": 0,
  "total_bytes_compact": 120,
  "total_strided_bytes": 120
}

```

transformed to 'interleaved' marray

```

{
  "x": {"dtype":"float64", "number_of_elements": 5, "offset": 0, "stride": 24,
  ↪ "element_bytes": 8, "endianness": "little", "value": [1.0, 1.0, 1.0, 1.0, 1.0]},
  "y": {"dtype":"float64", "number_of_elements": 5, "offset": 8, "stride": 24,
  ↪ "element_bytes": 8, "endianness": "little", "value": [2.0, 2.0, 2.0, 2.0, 2.0]},
  "z": {"dtype":"float64", "number_of_elements": 5, "offset": 16, "stride": 24,
  ↪ "element_bytes": 8, "endianness": "little", "value": [3.0, 3.0, 3.0, 3.0, 3.0]}
}
{
  "mem_spaces":
  {

```

```
"0x7fd6c0602090":
{
  "path": "",
  "type": "allocated",
  "bytes": 120
},
"total_bytes_allocated": 120,
"total_bytes_mmaped": 0,
"total_bytes_compact": 120,
"total_strided_bytes": 312
}
```

6.1.4 Building

Getting Started

Clone the Conduit repo:

- From Github

```
git clone https://github.com/llnl/conduit.git
```

- From LLNL's CZ Bitbucket Server (Mirror for LLNL Users)

```
git clone https://{USER_NAME}@lc.llnl.gov/bitbucket/scm/con/conduit.git
```

Configure a build:

`config-build.sh` is a simple wrapper for the `cmake` call to configure conduit. This creates a new out-of-source build directory `build-debug` and a directory for the install `install-debug`. It optionally includes a `host-config.cmake` file with detailed configuration options.

```
cd conduit
./config-build.sh
```

Build, test, and install Conduit:

```
cd build-debug
make -j 8
make test
make install
```

Build Options

The core Conduit library has no dependencies outside of the repo, however Conduit provides optional support for I/O and Communication (MPI) features that require externally built third party libraries.

Conduit's build system supports the following CMake options:

- **BUILD_SHARED_LIBS** - Controls if shared (ON) or static (OFF) libraries are built. (*default = ON*)
- **ENABLE_TESTS** - Controls if unit tests are built. (*default = ON*)
- **ENABLE_DOCS** - Controls if the Conduit documentation is built (when sphinx and doxygen are found). (*default = ON*)

- **ENABLE_COVERAGE** - Controls if code coverage compiler flags are used to build Conduit. (*default = OFF*)
- **ENABLE_PYTHON** - Controls if the Conduit Python module is built. (*default = OFF*)

The Conduit Python module will build for both Python 2 and Python 3. To select a specific Python, set the CMake variable **PYTHON_EXECUTABLE** to path of the desired python binary. The Conduit Python module requires Numpy. The selected Python instance must provide Numpy, or **PYTHONPATH** must be set to include a Numpy install compatible with the selected Python install.

- **ENABLE_MPI** - Controls if the `conduit_relay_mpi` library is built. (*default = OFF*)

We are using CMake's standard FindMPI logic. To select a specific MPI set the CMake variables **MPI_C_COMPILER** and **MPI_CXX_COMPILER**, or the other FindMPI options for MPI include paths and MPI libraries.

To run the mpi unit tests on LLNL's LC platforms, you may also need change the CMake variables **MPIEXEC** and **MPIEXEC_NUMPROC_FLAG**, so you can use `srun` and select a partition. (for an example see: `src/host-configs/chaos_5_x86_64.cmake`)

- **HDF5_DIR** - Path to a HDF5 install (*optional*).

Controls if HDF5 I/O support is built into `conduit_relay`.

- **SILO_DIR** - Path to a Silo install (*optional*).

Controls if Silo I/O support is built into `conduit_relay`. When used, the following CMake variables must also be set:

- **HDF5_DIR** - Path to a HDF5 install. (Silo support depends on HDF5)

Installation Path Options

Conduit's build system provides an **install** target that installs the Conduit libraires, headers, python modules, and documentation. These CMake options allow you to control install destination paths:

- **CMAKE_INSTALL_PREFIX** - Standard CMake install path option (*optional*).
- **PYTHON_MODULE_INSTALL_PREFIX** - Path to install Python modules into (*optional*).

When present and **ENABLE_PYTHON** is ON, Conduit's Python modules will be installed to `${PYTHON_MODULE_INSTALL_PREFIX}` directory instead of `${CMAKE_INSTALL_PREFIX}/python-modules`.

Host Config Files

To handle build options, third party library paths, etc we rely on CMake's initial-cache file mechanism.

```
cmake -C config_file.cmake
```

We call these initial-cache files *host-config* files, since we typically create a file for each platform or specific hosts if necessary.

The `config-build.sh` script uses your machine's hostname, the `SYS_TYPE` environment variable, and your platform name (via `uname`) to look for an existing host config file in the `host-configs` directory at the root of the conduit repo. If found, it passes the host config file to CMake via the `-C` command line option.

```
cmake {other options} -C host-configs/{config_file}.cmake ../
```

You can find example files in the `host-configs` directory.

These files use standard CMake commands. CMake `set` commands need to specify the root cache path as follows:

```
set(CMAKE_VARIABLE_NAME {VALUE} CACHE PATH "")
```

Bootstrapping Third Party Dependencies

We use **Spack** (<http://software.llnl.gov/spack>) to automate builds of third party dependencies on OSX and Linux. Conduit builds on Windows as well, but there is no automated process to build dependencies necessary to support Conduit's optional features.

Note: Conduit developers use `bootstrap-env.sh` and `scripts/uberenv/uberenv.py` to setup third party libraries for Conduit development. Due to this, the process builds more libraries than necessary for most use cases. For example, we build independent installs of Python 2 and Python 3 to make it easy to check Python C-API compatibility during development. For users of conduit, we recommend using the Conduit package included with Spack. For info on how to use this package see *Building Conduit and its Dependencies with Spack*.

On OSX and Linux, you can use `bootstrap-env.sh` (located at the root of the conduit repo) to help setup your development environment. This script uses `scripts/uberenv/uberenv.py`, which leverages **Spack** to build all of the external third party libraries and tools used by Conduit. Fortran support is optional and all dependencies should build without a fortran compiler. After building these libraries and tools, it writes an initial `host-config` file and adds the Spack built CMake binary to your PATH so can immediately call the `config-build.sh` helper script to configure a conduit build.

```
#build third party libs using spack
source bootstrap-env.sh

#copy the generated host-config file into the standard location
cp uberenv_libs/`hostname`.cmake to host-configs/

# run the configure helper script
./config-build.sh

# or you can run the configure helper script and give it the
# path to a host-config file
./config-build.sh uberenv_libs/`hostname`.cmake
```

When `bootstrap-env.sh` runs `uberenv.py`, all command line arguments are forwarded:

```
python scripts/uberenv/uberenv.py $@
```

So any options to `bootstrap-env.sh` are effectively `uberenv.py` options.

Uberenv Options for Building Third Party Dependencies

`uberenv.py` has a few options that allow you to control how dependencies are built:

Option	Description	Default
<code>-prefix</code>	Destination directory	<code>uberenv_libs</code>
<code>-spec</code>	Spack spec	linux: <code>%gcc</code> osx: <code>%clang</code>
<code>-compilers-yaml</code>	Spack compilers settings file	<code>scripts/uberenv/compilers.yaml</code>

Default invocation on Linux:

```
python scripts/uberenv/uberenv.py --prefix uberenv_libs \
    --spec %gcc \
    --compilers-yaml scripts/uberenv/compilers.yaml
```

Default invocation on OSX:

```
python scripts/uberenv/uberenv.py --prefix uberenv_libs \
    --spec %clang \
    --compilers-yaml scripts/uberenv/compilers.yaml
```

For details on Spack's spec syntax, see the [Spack Specs & dependencies](#) documentation.

You can edit `scripts/uberenv/compilers.yaml` or use the `--compilers-yaml` option to change the compiler settings used by Spack. See the [Spack Compiler Configuration](#) documentation for details.

For OSX, the defaults in `compilers.yaml` are X-Code's clang and gfortran from <https://gcc.gnu.org/wiki/GFortranBinaries#MacOS>.

Note: The bootstrapping process ignores `~/ .spack/compilers.yaml` to avoid conflicts and surprises from a user's specific Spack settings on HPC platforms.

When run, `uberenv.py` checkouts a specific version of Spack from github as `spack` in the destination directory. It then uses Spack to build and install Conduit's dependencies into `spack/opt/spack/`. Finally, it generates a host-config file `{hostname}.cmake` in the destination directory that specifies the compiler settings and paths to all of the dependencies.

Building Conduit and its Dependencies with Spack

As of 1/4/2017, Spack's develop branch includes a [recipe](#) to build and install Conduit.

To install the latest released version of Conduit with all options (and also build all of its dependencies as necessary) run:

```
spack install conduit
```

To build and install Conduit's github master branch run:

```
spack install conduit@master
```

The Conduit Spack package provides several [variants](#) that customize the options and dependencies used to build Conduit:

Variant	Description	Default
shared	Build Conduit as shared libraries	ON (+shared)
cmake	Build CMake with Spack	ON (+cmake)
python	Enable Conduit Python support	ON (+python)
mpi	Enable Conduit MPI support	ON (+mpi)
hdf5	Enable Conduit HDF5 support	ON (+hdf5)
silos	Enable Conduit Silo support	ON (+silos)
doc	Build Conduit's Documentation	OFF (+docs)

Variants are enabled using `+` and disabled using `~`. For example, to build Conduit with the minimum set of options (and dependencies) run:

```
spack install conduit~python~mpi~hdf5~silos~docs
```

Using Conduit in Another Project

Under `src/examples` there are examples demonstrating how to use Conduit in a CMake-based build system (`using-with-cmake`) and via a Makefile (`using-with-make`).

Building Conduit in a Docker Container

Under `src/examples/docker/ubuntu` there is an example `Dockerfile` which can be used to create an ubuntu-based docker image with a build of the Conduit. There is also a script that demonstrates how to build a Docker image from the Dockerfile (`example_build.sh`) and a script that runs this image in a Docker container (`example_run.sh`). The Conduit repo is cloned into the image's file system at `/conduit`, the build directory is `/conduit/build-debug`, and the install directory is `/conduit/install-debug`.

6.1.5 Glossary

This page aims to provide succinct descriptions of important concepts in Conduit.

children

Used for Node instances in the *Object* and *List* role interfaces. A Node may hold a set of indexed children (List role), or indexed and named children (Object role). In both of these cases the children of the Node can be accessed, or removed via their index. Methods related to this concept include:

- `Node::number_of_children()`
- `Node::child(index_t)`
- `Node::child_ptr(index_t)`
- `Node::operator=(index_t)`
- `Node::remove(index_t)`
- `Schema::number_of_children()`
- `Schema::child(index_t)`
- `Schema::child_ptr(index_t)`
- `Schema::operator=(index_t)`
- `Schema::remove(index_t)`

paths

Used for Node instances in *Object* role interface. In the Object role, a Node has a collection of indexed and named children. Access by name is done via a *path*. The path is a forward-slash separated URI, where each segment maps to Node in a hierarchal tree. Methods related to this concept include:

- `Node::fetch(string)`
- `Node::fetch_ptr(string)`
- `Node::operator=(string)`
- `Node::has_path(string)`
- `Node::remove(string)`

- Schema::fetch(string)
- Schema::fetch_child(string)
- Schema::fetch_ptr(string)
- Schema::operator=(string)
- Schema::has_path(string)
- Schema::remove(string)

external

Concept used throughout the Conduit API to specify ownership for passed data. When using Node constructors, Generators, or Node::set calls, you have the option of using an external variant. When external is specified, a Node does not own (allocate or deallocate) the memory for the data it holds.

6.2 Developer Documentation

6.2.1 Source Code Repo Layout

- **src/libs/**
- **conduit/** - Main Conduit library source
- **relay/** - Relay libraries source
- **blueprint/** - Blueprint library source
- **src/tests/**
- **conduit/** - Unit tests for the main Conduit library
- **relay/** - Unit tests for Conduit Relay libraries
- **blueprint/** - Unit tests for Blueprint library
- **thirdparty/** - Unit tests for third party libraries
- **src/examples/** - Basic examples related to building and using Conduit
- **src/docs/** - Documentation
- **src/thirdparty_builtin/** - Third party libraries we build and manage directly

6.2.2 Build System Info

Configuring with CMake

See *Building* in the User Documentation.

Important CMake Targets

- **make:** Builds Conduit.
- **make test:** Runs unit tests.
- **make docs:** Builds sphinx and doxygen documentation.

- **make install**: Installs conduit libraries, headers, and documentation to `CMAKE_INSTALL_PREFIX`

Adding a Unit Test

- Create a test source file in `src/tests/{lib_name}/`
- All test source files should have a `t_` prefix on their file name to make them easy to identify.
- Add the test to build system by editing `src/tests/{lib_name}/CMakeLists.txt`

6.2.3 Git Development Workflow

Conduit's primary source repository and issue tracker are hosted on github:

<https://github.com/llnl/conduit>

We are using a **Github Flow** model, which is a simpler variant of the confusingly similar sounding **Git Flow** model.

Here are the basics:

- Development is done on topic branches off the master.
- Merge to master is only done via a pull request.
- The master should always compile and pass all tests.
- Releases are tagged off of master.

More details on GitHub Flow:

<https://guides.github.com/introduction/flow/index.html>

Here are some other rules to abide by:

- If you have write permissions for the Conduit repo, you *can* merge your own pull requests.
- After completing all intended work on branch, please delete the remote branch after merging to master. (Github has an option to do this after you merge a pull request.)

6.3 Releases

Source distributions for Conduit releases are hosted on github:

<https://github.com/LLNL/conduit/releases>

6.3.1 v0.2.1

- Source Tarball
- Docs

Highlights

- **General**
- Added fixes to support static builds on BGQ using `xlc` and `gcc`
- Fixed missing install of fortran module files

- Eliminated separate fortran libs by moving fortran symbols into their associated main libs
- Change Node set_external to support const Node ref
- Refactor path and file systems utils functions for clarity.
- **Blueprint**
- Fixed bug with verify of mesh/coords for rectilinear case
- Added support to the blueprint python module for the mesh and marray protocol methods
- Added stand alone blueprint verify executable
- **Relay**
- Updated the version of civetweb used to avoid dlopen issues with SSL for static builds

6.3.2 v0.2.0

- [Source Tarball](#)
- [Docs](#)

Highlights

- **General**
- Changes to clarify concepts in the conduit::Node API
- Added const access to conduit::Node's children and a new NodeConstIterator
- Added support for building on Windows
- Added more Python, C, and Fortran API support
- Resolved several bugs across libraries
- Resolved compiler warnings and memory leaks
- Improved unit test coverage
- Renamed source and header files for clarity and to avoid potential conflicts with other projects
- **Blueprint**
- Added verify support for the marray and mesh protocols
- Added functions that create examples instances of marrays and meshes
- Added memory layout transform helpers for marrays
- Added a helper that creates a mesh blueprint index from a valid mesh
- **Relay**
- Added extensive HDF5 I/O support for reading and writing between HDF5 files and conduit Node trees
- Changed I/O protocol string names for clarity
- Refactored the relay::WebServer and the Conduit Node Viewer application
- Added entangle, a python script ssh tunneling solution

6.4 Presentations

6.4.1 Slides

- SciPy 2016 talk on Conduit (July 2016)
- Conduit Introduction (February 2015)

6.4.2 Talks

- SciPy 2016 talk on Conduit (July 2016)

6.4.3 Interviews

- RCE HPC Podcast on Conduit
-

6.4.4 Articles

- LLNL Computation Article on the 2014-2015 Harvey Mudd CS Conduit Clinic Project

6.5 License Info

6.5.1 Conduit License

Copyright (c) 2014-2017, Lawrence Livermore National Security, LLC.

Produced at the Lawrence Livermore National Laboratory

LLNL-CODE-666778

All rights reserved.

This file is part of Conduit.

For details, see: <http://software.llnl.gov/conduit/>.

Please also read [conduit/LICENSE](#)

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the disclaimer below.
- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the disclaimer (as noted below) in the documentation and/or other materials provided with the distribution.
- Neither the name of the LLNS/LLNL nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS “AS IS” AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL LAWRENCE LIVERMORE NATIONAL SECURITY, LLC, THE U.S. DEPARTMENT OF ENERGY OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Additional BSD Notice

1. This notice is required to be provided under our contract with the U.S. Department of Energy (DOE). This work was produced at Lawrence Livermore National Laboratory under Contract No. DE-AC52-07NA27344 with the DOE.
2. Neither the United States Government nor Lawrence Livermore National Security, LLC nor any of their employees, makes any warranty, express or implied, or assumes any liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately-owned rights.
3. Also, reference herein to any specific commercial products, process, or services by trade name, trademark, manufacturer or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or Lawrence Livermore National Security, LLC. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or Lawrence Livermore National Security, LLC, and shall not be used for advertising or product endorsement purposes.

Third Party Builtin Libraries

Here is a list of the software components used by conduit in source form and the location of their respective license files in our source repo.

C and C++ Libraries

- *gtest*: `thirdparty_builtin/gtest-1.7.0/LICENSE` (BSD Style License)
- *libb64*: `thirdparty_builtin/libb64/LICENSE` (Public Domain)
- *rapidjson*: `thirdparty_builtin/rapidjson/license.txt` (MIT License)
- *civetweb*: `thirdparty_builtin/civetweb-1.8/LICENSE.md` (MIT License)

JavaScript Libraries

- *fattable*: `src/libs/relay/web_clients/rest_client/resources/fattable/LICENSE` (MIT License)
- *pure*: `src/libs/relay/web_clients/rest_client/resources/pure/LICENSE.md` (BSD Style License)
- *d3*: `src/libs/relay/web_clients/rest_client/resources/d3/LICENSE` (BSD Style License)
- *jquery*: `/src/libs/relay/web_clients/wsock_test/resources/jquery-license.txt` (MIT License)

Fortran Libraries

- *fruit*: [thirdparty_builtin/fruit-3.3.9/LICENSE.txt](#) (BSD Style License)

Build System

- *CMake*: <http://www.cmake.org/licensing/> (BSD Style License)
- *Spack*: <http://software.llnl.gov/spack> (LGPL License)

Documentation

- *doxygen*: <http://www.stack.nl/~dimitri/doxygen/index.html> (GPL License)
- *sphinx*: <http://sphinx-doc.org/> (BSD Style License)
- *breathe*: <https://github.com/michaeljones/breathe> (BSD Style License)
- *rtd sphinx theme*: https://github.com/snide/sphinx_rtd_theme/blob/master/LICENSE (MIT License)

CHAPTER 7

Indices and tables

- `genindex`
- `search`